

MATERIAL SAFETY DATA SHEET



Ph: 03 9863 8081/ Fax: 03 9863 8083

Suite 822, St Kilda Road Tower,
1 Queens Road, Melbourne, VIC 3004

email@sanonda.com
www.sanonda.com

SANOS 360 NON SELECTIVE HERBICIDE

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY

Product Name: Sanos 360 Non Selective Herbicide
Product Use: Water soluble herbicide for non-selective control of many annual and perennial weeds.
Supplier: Sanonda (Australia) Pty Ltd
ACN: 059 813 973
Address: Suite 822, St Kilda Rd Towers, No.1 Queens Rd, Melbourne VIC 3004
Telephone: 03 9863 8081
Facsimile: 03 9863 8083
Emergency phone number: 03 9863 8081

2. HAZARD IDENTIFICATION

Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of ASCC. Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrases:

Not Hazardous - No criteria found.

Safety Phrases:

S23, S36, S24/25. Do not breathe spray mists. Wear suitable protective clothing. Avoid contact with skin and eyes.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Chemical Entity	CAS No	Concentration (g/L)	TWA (mg/m ³)	STEL (mg/m ³)
Glyphosate acid	1071-83-6	360 g/L	Not set	Not set
IPA (isopropylamine)	75-31-0	Secret	12	24
Other non-hazardous ingredients	secret	to 100	Not set	Not set

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

MATERIAL SAFETY DATA SHEET

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (phone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

FIRST AID

Inhalation:

First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact:

Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact:

Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed, while holding the eyelid(s) open. Obtain medical advice immediately if irritation occurs. Take special care if exposed person is wearing contact lenses.

Ingestion:

If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

SYMPTOM

Reduced urination, Cough, Diarrhea, Drowsiness, and Swallowing difficulty, etc.

ADVICE TO DOCTOR

This product is not an inhibitor of cholinesterase. No specific antidote. Treat symptomatically.

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS

There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product is likely to decompose only after heating to dryness, followed by further strong heating. Fire decomposition products from this product are likely to be irritating if inhaled.

EXTINGUISHING MEDIA

Not Combustible. Use extinguishing media suited to burning materials.

FIRE FIGHTING

If a significant quantity of this product is involved in a fire, call the fire brigade.

FIRE INCOMPATIBILITY

None.

HAZCHEM

2X

PERSONAL PROTECTIVE EQUIPMENT

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal

Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite). Collect in sealed open top containers for disposal. Final clean up with degreasing agent or detergent is advised.

Environmental Precautions

Prevent from entering drains, waterways or sewers.

7. HANDLING AND STORAGE

MATERIAL SAFETY DATA SHEET

HANDLING

Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this MSDS for details of personal protective measures, and make sure that these measures are followed.

No special storage and transport requirements. This product has no UN classification.

STORAGE

This product is a S5 Poison. Store in the closed, original container in a dry, well ventilated area out of direct sunlight. Keep container tightly sealed and do not store with seed, fertilisers or foodstuffs.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

NATIONAL OCCUPATIONAL EXPOSURE LIMITS

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment:	AS/NZS 1715,
Protective Gloves:	AS 2161,
Occupational Protective Clothing:	AS/NZS 4501 set 2008,
Industrial Eye Protection:	AS1336 and AS/NZS 1337,
Occupational Protective Footwear:	AS/NZS2210.

SWA Exposure Limits	TWA (mg/m³)	STEL (mg/m³)
Glyphosate IPA	not set	not set

Exposure limits have not been established by NOHSC Australia for any of the significant ingredients in this product.

The ADI (Acceptable Daily Intake) for Glyphosate is set at 0.3mg/kg/day. The corresponding NOEL (No-observable-effect-level) is set at 30mg/kg/day.

ENGINEERING CONTROLS

Use good occupational work practice with adequate ventilation. Natural ventilation should be adequate under normal use conditions.

PERSONAL PROTECTION

Respiratory Protection:

It is usually safe to not use a dust mask or respirator protection on account of this product. However, if the product is being used in dusty or confined conditions, use of a mask or respirator may be preferred.

Protective Gloves:

Impermeable elbow length PVC gloves should be worn when you are using this product, to prevent irritation.

Eye Protection:

When preparing product for use, wear face shield or goggles.

Clothing:

When using controlled droplet applicator, wear protective waterproof clothing and impervious footwear.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and goggles.

MATERIAL SAFETY DATA SHEET

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, viscous, blue-coloured solution
Odour:	Slight amine odour/odourless.
Melting/softening point:	Approximately 0°C
Boiling point:	Approximately 100°C at 100kPa
Volatile materials:	Water component. Active ingredient is considered non-volatile
Vapour pressure:	2.37 kPa at 20 °C (water vapour pressure)
Flashpoint:	Does not burn
Specific gravity:	1.17g/ml
Solubility in water:	Completely soluble
Flash Point:	>90°C.
Flammability:	Non combustible material
Corrosiveness:	Slightly corrosive to metal container
pH:	4.5 – 5.5
Viscosity:	266-294cps (RVT 2 at 20rpm)
Autoignition temp:	Not applicable - does not burn.

10. STABILITY AND REACTIVITY

REACTIVITY

This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

CONDITIONS TO AVOID

This product should be kept in a cool place, preferably below 30 °C.

Incompatibilities:

Strong oxidising agents.

Fire Decomposition:

If involved in a strong fire can release nitrogen oxides and oxides of phosphorus.

Polymerisation:

This product will not undergo polymerisation reactions.

Materials to Avoid:

Corrosive to mild steel, galvanised and zinc. Non-corrosive to stainless steel, polyethylene and plastics.

Do not mix, store or apply the product or spray solutions of the product in galvanised steel or unlined steel (except stainless steel) containers or spray tanks.

HAZARDOUS REACTION

Avoid contact of the concentrate with strong alkalis and alkaline materials such as lime. Such contact may release isopropylamine vapour with a strong fish like odour, which is an irritant to eyes. Isopropylamine is moderately toxic, LD50 (oral, rat) is 820 mg/kg and a TLV of 5 ppm (TWA) has been set.

MATERIAL SAFETY DATA SHEET

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Oral LD50 (Rat):	5,400 mg/kg, Practically Non-toxic
Dermal LD50 (Rabbit):	>5,000 mg/kg, Practically Non-toxic
Eye Irritation. (Rabbit, 24-hr):	(FHSA) 4.1 on a scale of 110.0, Slightly Irritation.
Skin Irritation. (Rabbit, 24-hr):	(FHSA) 4.3 on a scale of 8.0, Moderately Irritation.
Inhalation LC50 (Rat, 4-hr):	3.18 mg/l (analytical conc.), Slightly Toxic.

EFFECTS OF ACUTE EXPOSURE

Inhalation: When applying the product as a spray avoid breathing in spray mists. May cause irritation to mucous membranes and respiratory tract.

Ingestion:

The concentrate is of low toxicity if swallowed. Amounts swallowed incidental to normal handling procedures and use are not expected to cause injury. Possible symptoms of exposure include: nausea, vomiting and gastrointestinal discomfort and diarrhoea. Ingestion of a large quantity of the undiluted product may result in hypotension and pulmonary oedema.

Skin:

The concentrated product may cause slight irritation on contact. Prolonged contact is likely to result in irritation.

EFFECT OF LONG TERM EXPOSURE

Reproductive Effects:

Most of the field and laboratory evidence shows that glyphosate produces no reproductive changes in test animals. It is unlikely that the compound would produce any reproductive effects in humans.

Teratogenic Effects:

In a teratology study with rabbits, the maternal NOEL was 175 mg/kg/day and no developmental toxicity was observed in the fetuses at the highest dose tested (350 mg/kg/day).

Rats given doses up to 3,500 mg/kg on days 6 to 19 of pregnancy had offspring with no teratogenic effects, but other toxic effects were observed in both the mothers and the fetuses. No toxic effects to the fetuses occurred at 1,000 mg/kg/day.

Mutagenic Effects:

The compound does not cause mutations in microbes. The tests on eight different kinds of bacterial strains and on yeast cells were all negative. The compound poses little mutagenic risk to humans.

Carcinogenic Effects:

Rats and dogs and mice fed glyphosate over a wide range of doses showed no cancer related effects directly due to the compound. EPA has stated that there is sufficient evidence to conclude that glyphosate is not carcinogenic in humans.

Organ Toxicity:

Glyphosate caused no changes in the rate of body weight gain, in blood, nor in kidneys or liver. The studies were conducted at doses up to 500 mg/kg.

MATERIAL SAFETY DATA SHEET

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA

Oral LD50 Goat:	4,860 mg/kg, Slightly Toxic
48-hr LD50 Honeybee:	>100 micrograms/bee, Practically Non-toxic
48-hr EC50 Daphnia carinata (water flea):	488 mg/l, Slightly Toxic
96-hr LC50 Rainbow Trout:	1080 mg/l, Slightly Toxic
96-hr LC50 Litoria Ewingi (Tadpole):	3240 mg/l, Slightly Toxic

ENVIRONMENTAL FATE

Breakdown in soil and groundwater:

Glyphosate is moderately persistent in soil, with an estimated average half-life of 47 days. Reported field half-lives range from 1 to 174 days. It is strongly adsorbed to most soils, even those with lower organic and clay content.

Breakdown in water:

In water, glyphosate is strongly adsorbed to suspended organic and mineral matter and is broken down primarily by microorganisms. Its half-life in pond water ranges from 12 days to 10 weeks.

Breakdown in vegetation:

Glyphosate may be translocated throughout the plant, including to the roots. It is extensively metabolized by some plants, while remaining intact in others.

OTHER PRECAUTIONS

Do not spray in high winds. Do not contaminate dams, waterways or sewers with this product.

13. DISPOSAL CONSIDERATIONS

DO NOT re-use container. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. **DO NOT** dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt. **DO NOT** allow product to enter waterways.

14. TRANSPORT INFORMATION

ADG Code	Considered non dangerous for transport by the Australian Code for the Transport of Dangerous Goods by Road and Rail. No special transport conditions are necessary unless required by other regulations. It is good practice to separate this product from food, food related materials, animal feedstuffs, seed or fertilisers during transport.
Hazchem Code	2X (Australia)
U.N. Number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (GLPHOSATE 360G/L)
IMO Class	9
Packing Group	III

MATERIAL SAFETY DATA SHEET

15. REGULATORY INFORMATION

Poisons Schedule: S5
Packaging & Labelling: CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR
USING
AICS (Australia): All of the components in this product are listed on the Australian
Inventory of Chemical Substances.

16. OTHER INFORMATION

This MSDS contains only safety-related information. For other data see product literature.

All due care and skill, so far as practicable, has been applied in the preparation and collation of the information in this MSDS. Each user of the Product named in this MSDS should read and consider the information contained in this MSDS in the context of how the Product will be stored, handled, used or applied in the workplace. In all circumstances, it is the responsibility of the user of the Product to ensure that they have sought out the relevant safety data appropriate to their particular situation. Nothing contained in this MSDS shall be construed as a representation or recommendation to the user about the suitability or otherwise of the Product named in this MSDS for the user's particular situation. If the user requires any clarification or further information, the user should contact Sanonda (Australia) Pty Ltd.

CONTACT POINT:

Sanonda (Australia) Pty Ltd
Suite 822, St Kilda Road Towers,
No.1 Queens Road, Melbourne, VIC 3004
Telephone: 03 9863 8081
Facsimile: 03 9863 8083

National Poisons Information Centre: Dial 13 11 26 (from anywhere in Australia).

Please read all labels and booklets carefully before using product.